



BKR 5000

BKR Series Single-Band Radio



Designed to Meet the Demanding Needs of First Responders

Key Features

- Single-Band Configuration
- Single Unit Smart Charger
- P25 Conventional
- P25 Phase 1 & 2 Trunking
- Multi-Cast Vote Scan
- Simulcast Operation
- AES Encryption, FIPS140-2
- ADP & DES
- Integrated GPS/Location Services
- Advanced System Key
- Bluetooth & Wifi Standard
- Enhanced Noise Cancellation
- Meets MIL SPEC 810 G & IP68 Specifications
- Loud, Crisp Audio
- USB PC Programmable
- Radio Authentication (LLA)



**Four Position,
Programmable
Zone Switch**

LCD Top Display

Emergency Button
Ergonomically designed
for emergency access



Oversized Knobs
Glove-friendly, oversized
control knobs

**Industry-Leading 3-Watt
Audio Output Speaker**
Improved audio clarity

**Programmable
Alphanumeric Labels**

Durable Gorilla® Glass
Bright, colorful LCD
display

Programmable Buttons
Customizable for
mission-critical needs

**4900 mAh LI
Smart Battery**
Up to 12 hours with
standard capacity



Advanced Features

Enhanced Voice Quality

The BKR Series radio uses the Third Generation Enhanced IMBE P25 dual-rate Vocoder (AMBE+2 V1.80) for robust performance in noisy environments.

6 Line Display

2 Status Icons, 3 customizable display lines of 16 characters, and 1 line of soft-keys.

Environmental Reliability

Designed and tested to MIL-STD-810 and IP-68 rated.

DHS P25 CAP Approved

DHS P25 Compliance Assessment Program Tested and Approved Public Safety Grade (TIA Class A).

Robust Receiver

Improved range and less susceptibility to interference.

Simulcast Operation

C4FM and CQPSK modes for robust performance in simulcast (including LSM) systems.

Conventional Signaling

Analog MDC-1200 and Digital APCO P25 for conventional operation.

Internal Bluetooth Hardware

BK Technologies Bluetooth is an optional feature for wireless accessory connectivity.

Dual-Mode Bluetooth

4.1 BR/EDR and BLE (128-bit encryption). Up to 7 BR/EDR active devices and 10 simultaneous BLE connections are supported.

Integrated GPS/Location Services

P25 Location Services per TIA-102-BAJB are supported, Tier I Conventional, Tier II Trunking.

Scan Modes

Dual priority scan, trunked priority scan, dual-mode scan, channel, zone and vote scan.

Encryption

The BKR Series radios support AES256, AES128, DES-OFB/CFB encryption and is compatible with Motorola's ADP.

Multi-key/Multi-Algorithm

Multi-Key/Multi-Algorithm Encryption.

OTAR Project 25 Over-the-Air Rekey

Allows the encryption key to be changed wirelessly on P25 conventional and P25 trunking systems.

Encryption Key Fill

TIA-102AACD compliant and interoperable with commercially available key fill devices.

P25 9600 Baud Trunking

The BKR Series radio operates on 9600 baud P25 Compliant Trunking Systems and has been P25 Compliance Assessment Program (P25CAP) tested and proven interoperable.

OTAP

BKR Series radios support Over-the-Air Programming (OTAP) for operational efficiency.

TDMA Phase 2 Trunking

BKR Series VHF is P25 Phase 2 (TDMA) capable supporting double the voice capacity of Phase 1 trunking systems.

Radio Authentication

P25 Radio Authentication per TIA-102-AACE-A is supported.

High Visibility Yellow

Available in both Tier 1 and Tier 2.

A photograph of three firefighters in full protective gear running away from the camera down a wet city street at night. The wet pavement reflects the bright orange and yellow lights from the scene ahead, creating a dramatic, high-contrast image. The background is slightly blurred, emphasizing the firefighters in the foreground.

Mission-Critical Ready
Hero Tough™

For more information visit
BKTechnologies.com



800-821-2900
sales@bktechnologies.com
7100 Technology Drive
West Melbourne, FL 32904

bktechnologies.com     