



# ***BK TECHNOLOGIES KNG ACCESSORY CATALOG***

*Shop Our Online Store at: <https://www.bktstore.com>*

July-22

# ***BK Technologies Contact Information***

## ***Technical Service***

Technical assistance, Repair, Warranty Service, etc. (800) 422-6281

[service@bktechnologies.com](mailto:service@bktechnologies.com)

[www.bktechnologies.com](http://www.bktechnologies.com)

## ***Sales & Order Entry***

Radio and parts orders, pricing information, sales information, etc. (800) 821-2900

[sales@bktechnologies.com](mailto:sales@bktechnologies.com)

## ***Corporate***

(800) 648-0947

[www.bktechnologies.com](http://www.bktechnologies.com)



***Shop Our Online Store at: <https://www.bktstore.com>***

## KNG2 SERIES PORTABLES




Product Name	Product Description	Product Image
<b>Antennas and Mounts</b>		
<b>MAGMT-SMA</b>	Magnetic Mount Base w/17 ft. Cable & SMA male connector	
<b>MWV1360S</b>	VHF Mobile Antenna, (136-174 MHz) 38 MHz – Full Band Unity Gain, 21” whip length, no cutting required, for NMO style vehicular mount	
<b>MWU4002S</b>	UHF Mobile Antenna, 380-470 MHz, for NMO style vehicular mount	
<b>KAA0810G2</b>	VHF Antenna, SMA (136-174 MHz) 38 MHz - Full Band Heavy Duty Length: 7.25” For use with KNG2-P150, KNG-P150, KNG-P150S, P150CMD, Tier 3 & Tier 2)	
<b>KAA0811C</b>	VHF Antenna, SMA (164-174 MHz) Optimal BW: 10 MHz Standard Duty Stubby Length: 4.3” For use with KNG2-P150, KNG-P150, KNG-P150S, P150CMD (Tier 3 & Tier 2)	
<b>KAA0813</b>	VHF Antenna, SMA Heavy Duty Full-Flex/Full-Whip Length: 17” VHF: 148-174 MHz KNG2-P150, KNG2-P150CMD, KNG-P150, KNG- P150S, and P150CMD Both Tier 3 (Keypad) & Tier 2 (No Keypad) radio models	
<b>KAA0817</b>	UHF antenna for KNG-P400 with frequency range from 380 to 420 MHz	
<b>KAA0818</b>	VHF Antenna, SMA Operating BW: 136-174 MHz Optimal BW: 160-174 MHz Heavy Duty Semi-Whip Length: 10.75” For use with KNG2-P150, KNG-P150, KNG-P150S, P150CMD (Tier 3 & Tier 2)	
<b>KAA0815</b>	UHF Antenna, SMA (380-470 MHz) Length: 6.25” For use with KNG2-P400, KNG-P400/P400S (Tier 3 & Tier 2)	
<b>KAA0816</b>	UHF Antenna Length: 6.25” For use with KNG2-P500, KNG-P500 (Tier 3 & Tier 2)	

<b>MWV800</b>	763-870 MHz mobile antenna for NMO style vehicular mount, KNG-M , KNG-B, RDPR compatible	
<b>KAA0833</b>	760-870 MHz, 1/4 Wave Stubby KNG-P800	
<b>KAA0825</b>	800, SMA (764-870 MHz) Antenna	
<b>KAA0801</b>	12 inch antenna adaptor for SMA-male to UHF-female.	
<b>Batteries</b>		
<b>KAA0101</b>	Li-ion Battery 3600 mAh	
<b>KAA0103E</b>	Battery Pack, Li- Ion, 2300mAh, Intelligent, RCP	
<b>KAA0101IS</b>	Li-ion Battery 3600 mAh - Intrinsically Safe. IMPORTANT NOTICE: The KNG-P radio must have KZA0558 Intrinsically Safe factory installed option to use the KAA0101IS Intrinsically Safe battery	
<b>KAA0120</b>	AA Clam Shell Battery Case Orange	
<b>KAA0111</b>	Battery Eliminator for KNG2 & KNG-P Portables	
<b>KAA0608</b>	Side Port interface Test/Service Adapter for use with IFR/Other Radio Test sets for KNG- P/KNG2 Portables	
<b>KAA0608A</b>	Side Port interface Test/Service Adapter for use with the Aeroflex (Cobham) 3920 Digital Radio Test Set for KNG-P/KNG2 Portables	

Cables		
KAA0649	Cable assembly, straight, unterminated on one end. Includes the KNG-P side port interface adapter (8.3' in length)	
KAA0648	Replacement coiled, molded cable for KAA0200 and KNG Series Portables.	
KAA0602P	Cable Kit, Fused, 10ft hard-wire for KAA0301P	
KAA0228-HRC	Headset Replacement Cable, KAA0228, KNG/2-P Series, Otto	
KAA0204-E-CBL	Cable, Replacement, KAA0204-E, SM BKNXPLXX-E	
KAA0587A	Key Loader interface cable assembly for the KNG-P, KNG2, KNG-M, KNG- TMR, & KNG-B for Motorola KVL3000/3000+/4000 Keyloaders	
KAA0701	Legacy-KNG & KNG-KNG Cloning Cable - Portable and Mobile	
KAA0705	Authentication key loader cable for KNG Series Portables and Mobile.	
KAA0710	KNG-P/KNG2/KNG-M/KNG-B/KNG-TMR Programming Cable	
KAA0701-8	Cable Assy, Cloning, and Legacy, KNG, 8ft.	

KAA0700-8	Cable Assy, Cloning, KNG-P Series, 8ft.	
<b>Chargers</b>		
KAA0300P	Single Unit Rapid Rate Desktop Charger with charging cups for KNG-P. For use with KAA0100, KAA0103, KAA0101, or KAA0101IS Li-Ion Batteries.	
KAA0300P-PS	A wall adapter power supply for the KAA0300P.	
KAA0301P	6-Bay Rapid Rate Desktop Charger with charging cups for KNG-P. For use with KAA0100, KAA0103, KAA0101, or KAA0101IS Li-Ion Batteries.	
KAA0601P	Mounting Bracket, Vehicular, for KAA0301P.	
KAA0355P	Vehicular Charger (Standard Duty) (includes KAA0602P Hard-wire Installation kit & Vehicular Charging Adapter). <b>For use with KAA0100, KAA0103, KAA0101, or KAA0101IS Li-Ion Batteries.</b>	
KAA0355P-VPA	Adaptor, Vehicle Power, TWC1M- VPA.	
KAA0303-6	6-Bay Smart Charger. Multi-chemistry capable: NiCad, NiMH, Li-Ion and Li-Po Adaptive Reconditioning Capability Display Showing Battery's Charge or Life Condition Wide Range Power Input: AC Input (110 –240V AC) or DC input (14 – 24v DC) Charges both Smart & Standard KNG Batteries. <b>NOTE: Charges a KNG-P portable with a KAA0100/KAA0103 attached or a KAA0101 only (not attached to radio).</b>	
KAA0303-CUP	Replacement charging cup for KAA0303-X.	

KAA0303-1	<p>Single Bay Smart Charger. Multi-chemistry capable: NiCad, NiMH, Li-Ion and Li-Po Adaptive reconditioning capability.</p> <p>Display Showing Battery's Charge or Life Condition Wide Range Power Input: AC Input (110 –240V AC) or DC Input (14 – 24v DC)</p> <p>Charges both Smart &amp; Standard KNG Batteries.</p> <p><b>NOTE: Charges a KNG2 or KNG-P portable with a KAA0100/KAA0103 attached or a KAA0101 only (not attached to radio).</b></p>	
<b>Carrying Accessory</b>		
KAA0415CF2	<p>Black leather case with open front for keypad access, no flap cover, thru-belt loop, and 2 rear d-rings. For use with KNG Series Portables using KAA0100 and KAA0101 batteries, or KAA0120 clamshell.</p>	
KAA0413	<p>Adjustable leather shoulder strap with clips for use with KAA0415 and KAA0415CF leather cases.</p>	
KAA0204-CLIP	<p>Replacement lapel clip for the KAA0204 series microphone.</p>	
KAA0203-Clip	<p>Belt Clip, KAA0203, w/4 Screw, Benelec.</p>	
KAA0400	<p>Belt Clip Included with each KNG-P/KNG2.</p>	
KAA0402	<p>Belt Loop, 2.5", w/Snap Replacement Belt loop for KAA0422 Leather Case.</p>	
KAA0413	<p>Leather Shoulder Strap with clips (adjustable). For use with KAA0415 or KAA0415CF Leather Cases.</p>	
KAA0413T	<p>Leather Tether with clips (highlighted in yellow) For use with KAA0415 or KAA0415CF. Leather Cases NOTE: Leather Case and Shoulder Strap not included.</p>	
KAA0415	<p>Case Leather, Flap Cover w/snap button, Thru-Belt Loop, No keypad access,. Rear D-Rings (2), Black (for use with KAA0100, KAA0101 batteries or KAA0120 clamshell).</p>	
KAA0415CF	<p>Case Leather, Open front for keypad access, No Flap Cover, Thru-Belt Loop, Rear D-Rings (2), Black (for use with KAA0100, KAA0101 batteries or KAA0120 clamshell).</p>	
KAA0421	<p>Leather Case with detachable swivel Belt Loop <b>(for KAA0100 battery only).</b></p>	

KAA0422E	This is a rugged belt loop leather case for KNG2/KNG-P series portables with KAA0101 installed.	
KAA0447	<b>Chest Carrying Pack Color: Orange.</b> (Black color Pack picture shown).	
KAA0447A	Chest Carrying Pack Color: Black.	
KAA0448	Chest Carrying Pack Accommodates GPH, DPHX, and KNG-P/KNG2 Series radios. Slim line design Lightweight Velcro fasteners Color: Black.	
KAA0450T	Case Nylon Holster w/ Belt Loop Color: Tan. For KAA0100, KAA0101 Li-ion batteries and KAA0120 Clamshell.	
KAA0451B	Case Nylon Full Case W/ Belt Clip Color: Black For KAA0100, KAA0101 Li-ion batteries and KAA0120 Clamshell.	
KAA0455	KNG Carrying Case Nylon Color: Camouflage <b>For use with KNG-P portable and KAA0100 Battery only</b>	
RDRCC	12 Cavity Carrying Case Color: Black.	
<b>Manuals</b>		
KAA0001	KNG-P (5000 Channel) Portable Radio Service Manual - Printed Copy.	
KAA0001CD	KNG-P (5000 Channel) Portable Radio Service Manual - CD.	
KAA0005	KNG2-Pxxx (5000 Channel) Portable Radio Service Manual – Printed Copy.	

KAA0005CD	KNG2-Pxxx (5000 Channel) Portable Radio Service Manual - CD.	
KAA0001SCD	CD copy of the KNG-PS (512 Channel) Series Portable Radio Service Manual.	
<b>Microphones and Earpieces</b>		
KAA0226OEI	Acoustic tube with open ear insert.	
KAA0235	Adaptor for 2.5 to 3.5mm audio jack for use with KAA0205NC-25.	
KAA0222OE	Over ear, earphone kit for use with KNG Portables.	
KAA0220EH	Earphone listen only, 2.5 mm, Black Loop (Ear Hugger Style) that features a 2.5m threaded audio plug for use with KAA0200.	
KAA0226OE	Open ear insert kit that includes all sizes (07821M).	
KAA0226EB	Standard ear bud kit (07821B).	
KAA0226AT	Standard flexible ear insert replacement for KAA0225 and KAA0226.	
KAA0203E-GPS	IP67 submersible speaker microphone for the KNG Series Portables that features a 3.5mm audio jack, emergency button, and GPS.	
KAA0220	Black listen only ear loop earphone that features a 2.5m threaded audio plug for use with KAA0200.	
KAA0204-35	Heavy Duty, IP68 Submersible KNG-P/KNG2 Speaker Microphone w/Standard 3.5mm audio jack. Does <b>not</b> have a Hi/Lo Volume Control or Red Emergency button. For Listen only earphones use the KAA0221OTE or KAA0222EH.	

<p><b>CAA0204-E35</b></p>	<p>Heavy Duty, IP68 Submersible KNG-P/KNG2 Speaker Microphone w/Standard 3.5mm audio jack. <b>Does not</b> have a Hi/Lo Volume Control. <b>Includes Red Emergency button.</b>For Listen only earphones use the CAA0221OTE or CAA0222EH.</p>	
<p><b>CAA204-VCE35</b></p>	<p>Heavy Duty, IP68 Submersible KNG-P/KNG2 Speaker Microphone w/Standard 3.5mm audio jack. <b>Includes Hi/Lo Volume Control &amp; Red Emergency button.</b> For Listen only earphones use the CAA0221OTE or CAA0222EH.</p>	
<p><b>CAA0210NC</b></p>	<p>Speaker Microphone, <b>Noise Cancelling</b>, IP67 Submersible w/standard 3.5mm audio jack, High/Low Audio switch, and Emergency Button.</p>	
<p><b>CAA0210NC-K</b></p>	<p>This Remote Speaker Microphone kit includes CAA0210NC and a 3.5mm stereo audio adapter. The kit allows the (TSA) CAA0221EH Ear Hugger to work with CAA0210NC.</p>	
<p><b>CAA0210EH</b></p>	<p>The Ear Hugger comes with a 3.5mm audio plug, flexible acoustic tubing and silicon mushroom bud. The Ear Hugger allows the user to hear their radio clearly and privately. This is an accessory to the CAA0210NC.</p>	
<p><b>CAA0206</b></p>	<p>IP68 Submersible Speaker Microphone (IP68: immersion rated to one meter of water for 31 minutes). Functions for more than five minutes at 500°F (260°C). New clip design with increased clamping force and metal loop. Removable grill with replaceable debris screen. Large PTT for use with gloves. Emergency Button. For KNG-P/KNG2 Series portable radios.</p>	
<p><b>CAA0221</b></p>	<p>Earphone, Listen Only, 3.5mm, Black Ear Loop. KNG/BKR. Works with BKR0203 &amp; BKR0204 mic.</p>	
<p><b>CAA0221OTE</b></p>	<p>Listen Only Earphone w/black ear muff (w/3.5mm right angle plug) For use only with the CAA0204-35, CAA0204-E35, or CAA0204-VCE35 microphones. KNG/BKR. Works with BKR0203 &amp; BKR0204 mic.</p>	
<p><b>CAA0222EH</b></p>	<p>Listen Only Earphone w/Ear Hugger style earphone (w/3.5mm right angle plug). For use only with the CAA0204-35, CAA0204-E35, or CAA0204-VCE35 microphones. KNG/BKR. Works with BKR0203 &amp; BKR0204 mic.</p>	
<p><b>CAA0221-203</b></p>	<p>Listen Only Earphone w/Ear Hugger style earphone (3.5m <b>threaded</b> audio plug). For use only with the CAA0203EA or CAA0203E-GPS speaker microphones.</p>	

KAA0223	Heavy Duty Noise Canceling Earphone with Boom Microphone ( <b>Over the Head</b> ). NOTE: Includes KNG-P/KNG2 side-port adapter for mounting directly to KNG-P/KNG2.	
KAA0228	Heavy Duty Noise Canceling Earphone with Boom Microphone ( <b>Behind the Head</b> ). NOTE: Includes KNG-P/KNG2 side-port cable interface adapter for mounting directly to KNG-P/KNG2.	
KAA0225	Two Wire Surveillance Microphone. The PPT button and mic are both part of a single unit (clip on lapel style). NOTE: Includes KNG-P/KNG2 side-port adapter for mounting directly to KNG-P/KNG2.	
KAA0226	Three Wire Surveillance Microphone (Includes KAA0226A and KAA0226M earphone). One of the following PTT options must be ordered with each KAA0226: KAA026F/Flat PTT Button KAA0226R/Ring PTT Button KAA0226BL/Large PTT Button NOTE: Includes KNG-P/KNG2 side-port adapter for mounting directly to KNG-P/KNG2.	
KAA0239	Microphone, Throat w/ Wide Body PTT, KNG-P.	
KAA0226F	Flat PPT Button With 2.5mm plug.	
KAA0626	Adapter, Interface, KNG Portable to Sig Headset.	
KAA0226A	Replacement Acoustic Tube With Clear Ear Tip for KAA0225 & KAA0226.	
KAA0226EL	Replacement Large Flexible Ear Insert for KAA0225 & KAA0226.	
KAA0226EM	Replacement Medium Flexible Ear Insert for KAA0225 & KAA0226.	

<b>KAA0226ES</b>	Replacement Small Flexible Ear Insert for KAA0225 & KAA0226.	
<b>KAA0226ET</b>	Replacement Standard Flexible Ear Insert for KAA0225 & KAA0226.	
<b>PREMDESKMIC</b>	Microphone, Desk, NEXUS, Bosch.	
<b>Miscellaneous</b>		
<b>KAA0214</b>	Side connector adapter for KNG Series Portables to Hirose that is required for KAA0228.	
<b>KAA0040</b>	Kit, Knobs, Portable, Channel Selector & Volume, KNG-P/KNG2.	
<b>KAA0043</b>	Kit, Battery Latch & Spring, replacement kit for batteries, KNG-P/KNG2.	
<b>KAA0044</b>	Side port cover and screw kit for KNG Series Portables.	
<b>LZAST36</b>	Option, MX800, TX Ref Oscillator input and Modulator, Includes T12 & T15.	
<b>Programming Equipment</b>		
<b>KAA0730</b>	Software, radio editor for KNG-P150S/P400S radios.	
<b>ASK-CK</b>	Child key flash drive used with KAA0735.	
<b>ASK-MK</b>	This is the master key for ASK version of RES.	
<b>BKR0733-5.8.20</b>	This is the latest software for BKR and KNG model radios.	
<b>BKR0733-5.8.20-USB</b>	This is the latest software for BKR and KNG model radios, available alternatively on USB.	


## KNG- SERIES MOBILES



Product Name	Product Description	Product Image
<b>Antennas and Mounts</b>		
<b>MAGMT-NTYPE</b>	Magnetic Mount Base w/17 ft. Cable & Type-N male connector.	
<b>NMO-NTYPE</b>	NMO Antenna Vehicular Mount w/17 ft. cable & Type-N Male Connector.	
<b>MWU4002S</b>	UHF Mobile Antenna, 380-470 MHz, for NMO mount.	
<b>MWV1360S</b>	VHF Mobile Antenna, 136-174 MHz, for NMO mount.	
<b>KAA0835</b>	Fixed Vehicular Antenna mount - Single combined mount for GPS & NMO, dual coax w/17 ft. cables and w/MMXC male plug connector (GPS) & N-Type male plug connector (Radio).	
<b>KAA0837</b>	Mobile antenna for KNG- M400.	
<b>NMO-NTYPE-L</b>	Mount, Antenna, Perm Hole, NMOKHFUD.	
<b>MWV800STB</b>	Antenna, OMNI, NMO, 698-960 MHz /1700-2700 MHz, Stubby 3.5 dbi, 100 W.	
<b>MAGMT-UHF</b>	380-470 MHz, UHF mobile antenna for NMO style vehicular mount.	

Cables		
<b>KAA0613</b>	Cable Assy, KAA0276 Extension, 15F, KNG-M. This is the KAA0276 mic extension cable for the KNG mobile	
<b>KAA0834</b>	GPS Antenna (Magnetic Mount) w/17 ft. cable & MMXC Male Connector.	
<b>KAA0647</b>	Aux / Speaker Cable Assembly (included with each KNG-M).	
<b>KAA0587A</b>	Key Loader interface cable assembly for the KNG-P, KNG2-P, KNG-M, & KNG-B for Motorola KVL3000/3000+/4000 Key Loaders.	
<b>KAA0710</b>	KNG Programming Cable	
<b>KAA0622</b>	Cable Assembly, Interface, Motorcycle, for Setcom motorcycle product, KNG-M Mobiles	
<b>KAA0623</b>	Radio Interface Cable from KNG-M Series Mobiles to David Clark Series 3800 Vehicle Intercom Systems. With a single KNG-M mobile radio connected to David Clark Vehicle Intercom System, multiple headsets/PTT can be located on different areas of a vehicle e.g. fire truck.	
<b>KAA0634</b>	30" KNG-M Mobile Remote Mount Interface Cable Assembly (suggested for use as a KNG- M Test Bench cable assembly). KAA0635 (8 ft.), KAA0636 (17 ft.), KAA0637 (25 ft.), KAA0637-2 (35 ft.).	
<b>KAA0637-2</b>	Cable Assembly, Remote, KNG-P, 35ft.	


<b>KAA0656-500</b>	Cable Assy, RCH Extension, 500 ft., M/F connectors, KNG-M/KNG-B - NOTE: this is an extension cable. Must be used in conjunction with a KAA0635, 636, or 637 Cable KNG/M/B.	
<b>KAA0656</b>	Cable Assy, RCH Extension, 300 ft., M/F connectors, KNG-M/KNG-B - NOTE: this is an extension cable. Must be used in conjunction with a KAA0635, 636, or 637 Cable KNG-M/B.	
<b>KAA0720</b>	Programming extension cable kit for use with KNG Series Mobiles.	
<b>KAA0647A</b>	25 pin cable assembly with audio jack for KNG Series Mobiles.	
<b>KAA0656-100</b>	100 ft. RCH extension cable for use with KNG Series Mobiles.	
<b>CABANTRDPR25N</b>	Cable, Coax, Ant., 25ft., N to N, RDPR.	
<b>KAAMSAT</b>	MSAT to KNG Series Mobile interface cable.	
<b>Kits</b>		
<b>E2180PA-KIT</b>	Kit, Install, PA.	
<b>KAA0203EA-KIT</b>	Kit including KAA0203EA, KAA0811C, and KAA0221-203.	
<b>KAA0617-V2</b>	Hood w/Power Supply (KAA0158-V2)/KNG-M.	

Manuals		
KAA0002CD	CD copy of the KNG Series Mobile Radio Service Manual.	
KAA0002-150CD	CD copy of the KNG-M150 Mobile Radio Service Manual.	
KAA0002-150	KNG-M150 Mobile Radio Service Manual – Printed Copy.	
KAA0002-400	KNG-M400 Mobile Radio Service Manual – Printed Copy.	
KAA0002-400CD	KNG-M400 Mobile Service Radio Manual - CD.	
KAA0003	KNG-B Base Station Radio Service Manual – Printed Copy.	
KAA0003CD	KNG-B Base Station Radio Service Manual - CD.	

Microphones and Earpieces		
KAA0045	Microphone dust cover for the KNG Series Mobiles.	
KAA0276S	The standard Remote Speaker Microphone with straight Hirose connector is designed to work with the KNG-M series mobile radios.	
KAA0290S	The smart Remote Speaker Microphone with straight Hirose connector is designed to work with the KNG-M series mobile radios.	
KAA07110	KNG-M Series Telephone Handset - Includes: Telephone Handset, Handset Cradle, Mounting Plate, DB25 Mic Interface Cable Assembly and all necessary mounting hardware. Interfaces directly to KNG-M150 or KAA0660. Can also be used with KNG- M150R & KAA0660 combination.	
LAA0290X	Mic Mobile, D- Series ,Program, 2nd Gen.	
Miscellaneous		
KAA0661	Remote control head cover for use with KNG Series Mobiles.	

## KNG-SERIES BASE STATIONS



Product Name	Product Description	Product Image
<b>Antennas and Mounts</b>		
<b>NS1535</b>	Filter, Line, 15A, Chassis Mount	 Blackhawk™ Noise Suppressor
<b>KAA0612</b>	The kit is used to mount a KNG-B on a 19" rack.	
<b>Cables</b>		
<b>KAA0616</b>	Interface cable to Firecom 5000D Series Digital Intercom consoles, KNG-M/B.	
<b>LZAS-DC50</b>	Fully assembled power cable for Spectra repeaters and base stations.	
<b>Kits</b>		
<b>KAA0633</b>	12AWG dash mount installation kit for use with KNG Series Mobiles. This kit is included with each KNG Series Mobile.	
<b>KAA0629</b>	RCH expansion splitter box kit for use with KNG Series Mobiles.	
<b>KAA0631</b>	Mounting adapter kit for KNG Series Mobile to Kenwood.	
<b>KAA0609</b>	Interface Test/Service Adapter for use with IFR/Other Radio Test sets for KNG-M Mobiles.	

KAA0609A	Interface Test/Service Adapter for use with the Aeroflex (Cobham) 3920 Digital Radio Test Set for KNG-M Mobiles.	
KAA0630	KNG-M Dash Mount Install Kit, Bracket, Hardware & Power Cord – The KAA0630 is included with each KNG- Mxxx/MxxxR.	
KAA0158-V2	Power Supply, Desktop, 12Vdc, 30A-dc, 110-AC, ICT12-30.	
KAA0638	KNG-M Remote Mount Install Kit, Bracket, Hardware & Power Cord (The KAA0638 install kit is included with each KAA0660).	
KAA0639	KNG-MxxxR Trunk Mount Installation Kit When ordering the KAA0670/KAA0639 product, one of the following remote interface cables must also be ordered: KAA0635 (8'), KAA0636 (17'), or KAA0637 (25').	
KAA0639C	Cable assembly, In-cab mount installation kit for the HCH to KNG Series Mobiles. Use KAA0639 plus KAA0635, KAA0636 or KAA0637 for a longer run if needed.	
<b>Microphones and Earpieces</b>		
KAA0615	Kit, Audio Headset, Volume Control, KNG-B (requires KZA0615 option).	
KAA0258	Microphone, Desktop.	
<b>Options</b>		
IP-224 V2 WOPS NA	IP-224 Advanced Interface Option (North America).	

## REPEATER SERIES



Product Name	Product Description	Product Image
<b>Antennas and Mounts</b>		
<b>MBS-NTYPE</b>	Antenna mounting base (NMO) w/N-Type (F) connector. For use with RDPR repeater.	
<b>MBS</b>	Antenna mounting base (NMO) w/UHF (F) connector. Used with RDPR repeater.	
<b>RDRPUA</b>	UHF antenna for use with RP7200 Series Portables, 450-470 MHz, rubber flex.	
<b>Batteries</b>		
<b>BPRP2072</b>	Li-Poly, 2000mAh battery for use with RP7200 Portables.	
<b>BPRP1772</b>	Li-Poly, 1700mAh battery for use with RP7200 Portables.	
<b>BCRP72</b>	Desktop charger for use with RP7200 Portables.	
<b>BCRP672</b>	Six wall gang charger for use with RP7200 Portables.	
<b>BCRP65</b>	Desktop charger for use with the RP6500 Portable.	
<b>Cables</b>		
<b>MECRDPR-KNGM</b>	Mobile extender cable from RDPR-HP/M to KNGM.	
<b>PWRCBLHP</b>	EBS cable output RDPR-HP.	

Miscellaneous		
<b>RDRCC</b>	12 Cavity Carrying Case Color: Black.	
Chargers		
<b>WCRDPRUM</b>	Wall charger for use with RDPRUMs (additional to what comes with standard box).	
<b>WPSRDPR-HP</b>	14V/10A wall unit power supply for use with the RDPR-HP.	
<b>WCHRGREBS</b>	Wall charger for use with EBS-RDPRs, 5A, 110-220VAC.	
<b>VASLREBS</b>	Charging cable for vehicle use with EBS-RDPRs, solar.	
<b>VARDPR-UM</b>	Vehicle charging cigarette adapter for use with RDPR-UMs.	
<b>VARDPR</b>	Vehicle accessory adapter/cigarette lighter for use with RDPRs.	
Microphones and Earpieces		
<b>Bodyguard-RP3</b>	Lapel mic and earpiece for use with RP7200 Portables.	
<b>MHRM1</b>	Microphone for the RM25-50 Series Mobiles.	
<b>BODYGUARD-RP</b>	Surveillance microphone for use with the RP6500 Portable Radio that features an earloop and earbud.	

**Repeater Equipment**

<p><b>RIKBKR5000</b></p>	<p>Radio Interface Kit, BKR5000_series, RDPR</p>	
<p><b>SMXU32</b></p>	<p>Spectra MXPS15, 15A Pk, option U32, Spectra.</p>	
<p><b>SMXU06</b></p>	<p>DC Power Lead, MXPS15 Power Supply to MX800, Option U06, Spectra.</p>	
<p><b>SMXU86</b></p>	<p>DC Power Lead, MXPS15 Dual Power Supply to MX800, Option U86, Spectra.</p>	
<p><b>SMXU33</b></p>	<p>Spectra MXPS15, Dual, 30A Pk, Option U33, Spectra.</p>	